

Siding Products

Stucco-EFIS Systems	2
Masterwall Stucco/EFIS Systems	2
Masterwall Residential Systems	2
Masterwall Commercial Systems	2
Atlas Stucco-Shield	3
Vinyl Siding	3
CertainTeed	3
Vinyl Carpentry Decorative Trim	3
Soffit & Vertical Siding	3
Hamilton Park	3
MainStreet	3
Classic	3
Carolina Beaded	4
Monogram 46L	4
Monogram	4
Millennium	4
TrueComfort	5
Cedar Impressions	5
Royal Building Products	6
Siding	6
Soffit	7
Fibered Cement Siding	7
CertainTeed	7
Siding Underlayments	7
Pactiv Building Products	7
Siding Underlayment	8
Foundation and Basement	8
Walls	9
GreenGuard® Housewrap	9
Siding Accessories	13
Mid American	13

Stucco-EFIS Systems > Masterwall Stucco/EFIS Systems > Masterwall Residential Systems

Aggre-flex Drainage System

Superior Performance


Aggre-flex Drainage is our high performance cladding. It uses either our wavy or flat insulation board to create drainage channels behind the system and drain away any incidental water entering the wall cavity.

How it's Installed

Typically the builder applies an approved water barrier such as 15# asphalt felt, Tyvek StuccoWrap or HomeWrap. The water barrier is flashed into window and door openings and sealed.

The Certified Master Wall Independent Applicator mechanically attaches the system with specialty fasteners. Plastic trim pieces are used to seal any exposed insulation edges. Master Wall Mesh, Base Coat and Finish complete the job.


Finally, a qualified sealant contractor seals windows, doors and other openings in the wall.



One Coat Stucco(OCS)

One Coat Stucco (OCS) - Tough Stuff

Stucco has been around a long time. Master Wall's One Coat Stucco and Superior Finishes simplify construction and improve the look of this time tested wall cladding. Common installations include the OCS, some reinforced foam trim aesthetic pieces and a Master Wall Superior Finish. Best of all, the OCS and Finish are both included in our limited warranty.



New Options

OCS is available in several different levels and extended limited warranties. The basic Level I System is great for budget projects and has a five-year warranty. Level II adds Primecoat and Stucco Ad-Liquid for a more durable stucco and a seven-year warranty. The Level III System has increased levels of Stucco Ad-Liquid and either a leveling base coat and mesh or Superior Elastomeric Plus Finish over Primecoat with a ten-year warranty. Stucco has been around a long time. Master Wall's One Coat Stucco and Superior Finishes simplify construction and improve the look of this time tested wall cladding. Common installations include the OCS, some reinforced foam trim aesthetic pieces and a Master Wall Superior Finish. Best of all, the OCS and Finish are both included in our limited warranty.

Stucco-EFIS Systems > Masterwall Stucco/EFIS Systems > Masterwall Commercial Systems

Masterwall Commercial Systems

Quality Systems for Commercial Construction

Having Master Wall quality on your next project has never been easier. From the versatile Aggre-flex line of Exterior Insulation and Finish Systems to durable One Coat Stucco and Superior Finishes over traditional stucco you get the best working products available.




Stucco-EFIS Systems > Atlas Stucco-Shield

Stucco-Shield

Stucco-Shield Sheathing features ACUltra Technology which means ZERO HCFC's - a cost effective "Green" building solution. Excellent R-Values reduce energy demands while meeting or exceeding the Model Energy Code for your area, and also greatly reducing the potential for condensation problems.

Stucco-Shield is a rigid, polyiso foam board with specially coated, patented facers on both surfaces specifically for use as substrate for polymer type and hard coat stucco systems.



Vinyl Siding > CertainTeed > Vinyl Carpentry Decorative Trim

Vinyl Carpentry Decorative Trim

Create the look of true wood craftsmanship with a complete line of decorative accents and trim pieces. Designed to add distinction to windows, doors, corners, gables and soffit areas, these products provide an authentic painted wood look.

Available in a variety of colors to match or contrast with siding, Vinyl Carpentry Decorative Trim works beautifully for both remodeling and new construction.



Vinyl Siding > CertainTeed > Soffit & Vertical Siding

Soffit & Vertical Siding

Designed to provide a beautiful finishing touch for porch ceilings and soffit areas, or add a distinctive touch with vertical siding applications.



Vinyl Siding > CertainTeed > Hamilton Park

Hamilton Park

Hamilton Park offers a combination of quality and value for any exterior design.



Vinyl Siding > CertainTeed > MainStreet

MainStreet

MainStreet™ offers consistent quality, good looks and is the ideal choice for homeowners and building professionals looking for value with the benefits of a premium panel.



Vinyl Siding > CertainTeed > Classic

Classic

Beauty, performance and durability: Classic™ provides the premium features that make it a great choice for both new construction and remodeling.



Vinyl Siding > CertainTeed > Carolina Beaded

Carolina Beaded

Reproduced from classic hand-crafted boards, Carolina Beaded™ provides an original impression for homes of distinction.



Vinyl Siding > CertainTeed > Monogram 46L

Monogram 46L

Longer length Monogram 46L reduces seams at least 33% and offers many other value-added features.



Vinyl Siding > CertainTeed > Monogram

Monogram

Monogram's industry leading color palette and comprehensive system of value-added features and benefits create a truly extraordinary siding.

Monogram continues to lead the way in innovation through many important industry firsts.



Vinyl Siding > CertainTeed > Millennium

Millennium

Millennium's unique, patented system of nail-tight flexible hem and PermaFlex™ suspension cables is cutting-edge technology.

Unlike every other brand of vinyl siding, Millennium nails tight to the wall and "floats" from its cables. Installation is almost error-proof. And properly installed, Millennium will virtually eliminate the ugly, rippled contours called "oilcanning" that can occur with poorly installed siding.



Vinyl Siding > CertainTeed > TrueComfort

TrueComfort

TrueComfort™ Insulated Siding provides the thermal benefit and added strength of rigid foam insulation with the easy maintenance of vinyl.

Through frigid winters and sweltering summers, the TrueComfort thermal envelope protects against heat and cold, blocking wind and weather.

In addition, TrueComfort provides a firm wall of protection that guards against everyday mishaps.




Vinyl Siding > CertainTeed > Cedar Impressions

D9" Rough-Split Shakes

Designed for whole house applications or accents:

- # Natural cedar shake texture with a low gloss finish
- # .125" thick, durable polypropylene
- # Molded Perimeter Lock™ creates seamless appearance
- # Structural ribs provide strength and rigidity
- # 8 colors
- # Virtually maintenance free - never needs painting
- # Lifetime Limited Warranty



D7" & T5" Perfection Shingles

Designed for whole house applications or accents:

- # 2 Classic Styles
 - Double 7"
 - Triple 5"
- # Natural cedar grain texture with a low gloss finish
- # .100" thick, durable polypropylene
- # Molded Perimeter Lock™ creates seamless appearance
- # Structural ribs provide strength and rigidity
- # 14 colors in Double 7" and 11 colors in Triple 5" with a wide variety of coordinating trim
- # Virtually maintenance free - never needs painting
- # Lifetime Limited Warranty



Half-Round Shingles

Create beautiful accents

- # Double 6-1/4" Style
- # Natural cedar grain texture with a low gloss finish
- # .100" thick, durable polypropylene
- # Molded Perimeter Lock™ system creates seamless appearance.
- # Structural ribs provide strength and rigidity
- # 14 Colors with a wide variety of coordinating trim
- # Virtually maintenance free - never needs painting
- # Lifetime limited warranty



Random Hand-Split Shakes

Provide a Rustic Appearance for whole house applications or accents

- # Single 10" Style
- # Natural hand-split cedar texture with a low gloss finish
- # Made with patented TrueTexture™ technology
- # .050" thick, sturdy vinyl
- # Locks and laps similarly to standard vinyl siding
- # 6 Colors with a wide variety of coordinating trim
- # .050#-thick, sturdy vinyl
- # Virtually maintenance free - never needs painting
- # Lifetime Limited Warranty

Vinyl Siding > Royal Building Products > Siding > Royal Woodland 16


Royal Woodland 16



Royal Woodland 16 features an exceptional color selection designed to give homeowners the freedom to create their ideal home exterior. In addition to 11 of our most popular standard colors, Royal Woodland 16 is also available in 14 deep, rich, UV resistant colors from the Colorscape™ collection.


Vinyl Siding > Royal Building Products > Siding > Royal Woodland 25

Royal Woodland 25



Royal Woodland 25 features an exceptional color selection designed to give homeowners the freedom to create their ideal home exterior. In addition to 8 of our most popular standard colors, Royal Woodland 25 is also available in 8 deep, rich, UV resistant colors from the Colorscape™ collection.

Vinyl Siding > Royal Building Products > Siding > Duraplank



Duraplank

DuraPlank is an exceptional high performance panel designed to enhance the beauty, comfort and energy efficiency of any home. Noted for its traditional wood clapboard appearance, extra thick profile and straight, flawless finish, this reinforced siding features a rigid foam backing that insulates, repels moisture and maximizes rigidity. As a result, Royal DuraPlank offers the industry's highest impact resistance as well as unmatched protection under the harshest weather conditions. Available in a wide variety of popular standard colors as well as UV-resistant Colorscape™ shades for long-lasting color retention, Royal DuraPlank perfectly captures the look, feel and rigidity of natural wood and comes with a powerful color retention warranty.

Vinyl Siding > Royal Building Products > Soffit > Triple 3 Soffit Hidden Vent



Triple 3 Soffit Hidden Vent

Heavy gauge soffit from Royal will not warp or sag because the extra-thick panels are designed to remain straight and true.

Fibered Cement Siding > CertainTeed

WeatherBoards

CertainTeed WeatherBoards Siding features the most authentic wood grain in the industry, so you can enjoy the lasting features and handsome appearance of wood without all the upkeep.

But the real difference between CertainTeed WeatherBoards and similar products is actually in the material. It's stronger. Built to take on the elements and then some.



Siding Underlayments > Pactiv Building Products > Siding Underlayment

GreenGuard® CM Insulation Board

Available in 1/2", 3/4" and 1" thicknesses, our extruded polystyrene (XPS) insulation board offers our highest thermal performance in siding underlayment with R-Values of 3.0 (1/2") to 5.0 (1"). GreenGuard® CM Insulation Board is available as 2# x 8# and 4# x 8# (shown) sheets.



GreenGuard® Fanfold Siding Underlayment

GreenGuard® Fanfold Siding Underlayment is a 4# x 50# continuous air and moisture barrier, fanfolded into a 2# x 4# bundle for convenient handling.

GreenGuard® SL Insulation Board

Available in 1/2", 3/4" and 1" thicknesses, our Extruded Polystyrene (XPS) GreenGuard® SL Insulation Board offers our highest thermal performance in siding underlayment with R-Values of 3.0 (1/2") to 5.0 (1"). The unique, interlocking shiplap edges virtually eliminate energy robbing seams and gaps.

GreenGuard® SL Insulation Board is available as 2# x 8# (shown) and 4# x 8# shiplap edge sheets.



Siding Underlayments > Pactiv Building Products > Foundation and Basement

GreenGuard® CM Insulation Board

GreenGuard® Insulation Board is Extruded Polystyrene (XPS) and features high compressive strength, high resistance to moisture absorption and excellent thermal performance. That makes it an excellent choice for use below grade as insulation and/or as a barrier to protect the applied waterproofing membrane from damage as backfilling is done.



GreenGuard® PB4 Waterproofing Protection Board



Use GreenGuard® PB4 Waterproofing Protection Board after applying the waterproofing membrane to exterior foundation walls to prevent damage when backfilling. GreenGuard® PB4 Waterproofing Protection Board has high compressive strength and impact resistance to withstand the toughest load pressures and backfilling impact. Available as 1/4" thick, 4' x 50' fanfolded product, GreenGuard® PB4 is light weight, easy to transport, and easy to install. Since it is Extruded Polystyrene (XPS) its dense, closed-cell construction provides superior resistance to moisture absorption and decomposition from long-term exposure to chemicals in the soil.

GreenGuard® SL Insulation Board

GreenGuard® Insulation Board is Extruded Polystyrene (XPS) and features high compressive strength, high resistance to moisture absorption and excellent thermal performance. That makes it an excellent choice for use below grade as insulation and/or as a barrier to protect the applied waterproofing membrane from damage as back filling is done.

Placing insulation on the foundation exterior and/or below the slab gives thermal protection to keep the foundation from reaching the temperature of the ground. The GreenGuard® Insulation Board R-Value of 5.0 per inch of thickness makes it an excellent thermal insulator. GreenGuard® Insulation Board has low water absorption and retains R-Value over time.

GreenGuard® Insulation can be used to insulate interior basement walls where a gypsum board or other fire-rated wallboard is used. (Check local codes.) GreenGuard® Shiplap-Edge Insulation Board for foundation and basement use is available in thickness# of 1", 1 1/2", or 2".



Siding Underlayments > Pactiv Building Products > Walls

Siding Underlayments > Pactiv Building Products > Walls > GreenGuard® Housewrap

GreenGuard® Ultra Wrap Housewrap - 3 ft. x 150 ft. roll

GreenGuard® Ultra Wrap is a non-woven / non-perforated housewrap that provides air and moisture resistance plus a very high level of breathability (permeance). GreenGuard® Ultra Wrap features a reinforcing scrim to improve tear resistance to a level not usually associated with non-woven housewraps.

The 3' x 150' roll is a convenient roll size for working in close spaces like gables, or other applications where a small roll width is preferred. Each roll weighs approximately 7 pounds.

Use GreenGuard® T255UL Contractor Tape with this product for best tape adhesion to the uneven surface.



GreenGuard® Ultra Wrap Housewrap - 10 ft. x 100 ft. roll

GreenGuard® Ultra Wrap is a non-woven / non-perforated housewrap that provides air and moisture resistance plus a very high level of breathability (permeance). GreenGuard® Ultra Wrap features a reinforcing scrim to improve tear resistance to a level not usually associated with non-woven housewraps.

The 118" x 150' roll is convenient for use on houses with 10# ceilings.

Use GreenGuard® T255UL Contractor Tape with this product for best tape adhesion to the uneven surface.



GreenGuard® Ultra Wrap Housewrap - 9 ft. x 150 ft. roll

GreenGuard® Ultra Wrap is a non-woven / non-perforated housewrap that provides air and moisture resistance plus a very high level of breathability (permeance). GreenGuard® Ultra Wrap features a reinforcing scrim to improve tear resistance to a level not usually associated with non-woven housewraps.

The 9' x 150' roll is a good mix between light weight and minimal roll changes. Each roll weighs approximately 19 pounds.

Use GreenGuard® T255UL Contractor Tape with this product for best tape adhesion to the uneven surface.



GreenGuard® Ultra Wrap Housewrap - 9 ft. x 100 ft. roll

GreenGuard® Ultra Wrap is a non-woven / non-perforated housewrap that provides air and moisture resistance plus a very high level of breathability (permeance). GreenGuard® Ultra Wrap features a reinforcing scrim to improve tear resistance to a level not usually associated with non-woven housewraps.

The 9' x 100' roll is convenient and lightweight. Each roll weighs approximately 13 pounds. Use GreenGuard® T255UL Contractor Tape with this product for best tape adhesion to the uneven surface.



GreenGuard® Classic Wrap Housewrap - 4 1/2 ft. x 195 ft. roll

This product is our #Original Green Tough Stuff.# It features exceptional tear resistance when it counts#. After the fasteners are installed and the housewrap is stretched or subjected to wind, GreenGuard® Classic Wrap is truly the wrap that won't rip.

Plus, GreenGuard® Classic Wrap is translucent, so you can see the nailing base.

The 4½' x 195' roll is a convenient roll size for working in close spaces like gables, or other applications where a small roll width is preferred. Each roll weighs approximately 14 pounds.

Use GreenGuard® T255UL Contractor Tape with this product for best tape adhesion to the uneven surface.



GreenGuard® Classic Wrap Housewrap - 10 ft. x 150 ft. roll

This product is our #Original Green Tough Stuff.# It features exceptional tear resistance when it counts#. After the fasteners are installed and the housewrap is stretched or subjected to wind, GreenGuard® Classic Wrap is truly the wrap that won't rip.

Plus, GreenGuard® Classic Wrap is translucent, so you can see the nailing base.

The 10' x 150' roll is convenient for use on houses with 10# ceilings.



GreenGuard® Classic Wrap Housewrap - 9 ft. x 195 ft. roll

This product is our #Original Green Tough Stuff.# It features exceptional tear resistance when it counts#. After the fasteners are installed and the housewrap is stretched or subjected to wind, GreenGuard® Classic Wrap is truly the wrap that won#t rip.

Plus, GreenGuard® Classic Wrap is translucent, so you can see the nailing base.

The 9' x 195' roll is a good choice for the maximum practical amount of housewrap per roll. Each roll weighs approximately 26 pounds.



GreenGuard® Classic Wrap Housewrap - 9 ft. x 100 ft. roll

This product is our #Original Green Tough Stuff.# It features exceptional tear resistance when it counts#. After the fasteners are installed and the housewrap is stretched or subjected to wind, GreenGuard® Classic Wrap is truly the wrap that won#t rip.

Plus, GreenGuard® Classic Wrap is translucent, so you can see the nailing base.

The 9' x 100' roll is convenient and lightweight. Each roll weighs approximately 15 pounds.



GreenGuard® Classic Wrap Housewrap - 9 ft. x 150 ft. roll

This product is our #Original Green Tough Stuff.# It features exceptional tear resistance when it counts#. After the fasteners are installed and the housewrap is stretched or subjected to wind, GreenGuard® Classic Wrap is truly the wrap that won#t rip.

Plus, GreenGuard® Classic Wrap is translucent, so you can see the nailing base.

The 9' x 150' roll is a good mix between lightweight and minimal roll changes. Each roll weighs approximately 20 pounds.



GreenGuard® RainDrop# Housewrap - 9 ft. x 150 ft. Roll

New and innovative! GreenGuard® RainDrop™ approaches the area of moisture management in two ways. First, as a barrier, it has typical housewrap moisture and air penetration resistance. But, it is unique in that it also is designed as a drainage plane. When siding is installed over GreenGuard® RainDrop™, channels remain for water to drain away from the surface and, with the water gone the surface moisture dissipates through normal drying by evaporation. New GreenGuard® RainDrop™ is a woven, non-perforated wrap that provides exceptional tear resistance approaching that of our #original green tough stuff# GreenGuard® Classic Wrap. In addition, GreenGuard® RainDrop™ breathes to allow moisture vapor to escape from the wall cavity.

The 9# x 150# roll is a good mix between lightweight and minimal roll changes. Each roll weighs approximately 20 pounds.

Use GreenGuard® T255UL Contractor Tape with this product for best tape adhesion to the uneven surface.



GreenGuard® RainDrop® Housewrap - 9 ft. x 100 ft. Roll

New and innovative! GreenGuard® RainDrop™ approaches the area of moisture management in two ways. First, as a barrier, it has typical housewrap moisture and air penetration resistance. But, it is unique in that it also is designed as a drainage plane. When siding is installed over GreenGuard® RainDrop™, channels remain for water to drain away from the surface and, with the water gone the surface moisture dissipates through normal drying by evaporation. New GreenGuard® RainDrop™ is a woven, non-perforated wrap that provides exceptional tear resistance approaching that of our #original green tough stuff# GreenGuard® Classic Wrap. In addition, GreenGuard® RainDrop™ breathes to allow moisture vapor to escape from the wall cavity.



The 9' x 100' roll is convenient and lightweight. Each roll weighs approximately 15 pounds.

Use GreenGuard® T255UL Contractor Tape with this product for best tape adhesion to the uneven surface.

GreenGuard® Value Wrap Housewrap - 4 1/2 ft. x 195 ft. roll

GreenGuard® Value Wrap is a low-cost Housewrap designed for the value-conscious builder. It is designed to offer builders the best Housewrap value on the market. No other Housewrap offers this quality at this price. GreenGuard® Value Wrap performs as an air and moisture infiltration barrier. It keeps air and liquid moisture out but breathes to allow moisture vapor to escape. It is also UV stable, which enables it to resist the sun's damaging effects when exposed for up to 12 months.

Air and moisture resistance, breathability and tear resistance all at an economical price. Plus, GreenGuard® Classic Wrap is translucent, so you can see the nailing base.

GreenGuard® Value Wrap is a low-cost Housewrap that combines strength, easy installation features, and provides professionals with the greatest price-to-performance value ratio in the market.



GreenGuard® Value Wrap Housewrap - 3 ft. x 150 ft. roll

Air and moisture resistance, breathability and rip resistance all at an economical price. Plus, GreenGuard® Value Wrap is translucent, so you can see the nailing base.

The 3' x 150' roll is a convenient roll size for working in close spaces like gables, or other applications where a small roll width is preferred. Each roll weighs approximately 7 pounds.



GreenGuard® Value Wrap Housewrap - 9 ft. x 195 ft. roll

Air and moisture resistance, breathability and rip resistance all at an economical price. Plus, GreenGuard® Value Wrap is translucent, so you can see the nailing base.

The 9' x 195' roll is a good choice for the maximum practical amount of housewrap per roll. Each roll weighs approximately 26 pounds.



GreenGuard® Value Wrap Housewrap - 9 ft. x 150 ft. roll

Air and moisture resistance, breathability and rip resistance all at an economical price. Plus, GreenGuard® Value Wrap is translucent, so you can see the nailing base.

The 9' x 150' roll is a good mix between lightweight and minimal roll changes. Each roll weighs approximately 20 pounds.



GreenGuard® Value Wrap Housewrap - 9 ft. x 100 ft. roll

Air and moisture resistance, breathability and rip resistance all at an economical price. Plus, GreenGuard® Value Wrap is translucent, so you can see the nailing base.

The 9' x 100' roll is convenient and light weight. Each roll weighs approximately 15 pounds.

GreenGuard® Contractor Tape (Standard) - 1 7/8 in. x 55 yards

GreenGuard® Contractor Tape with standard adhesion is an excellent way to enhance the effectiveness of other GreenGuard® products by sealing joints and seams. Use with GreenGuard® Housewrap and sheathing to control air and moisture at seams.

GreenGuard® Contractor Tape's standard adhesion sticks tight in all seasons, even in below-zero temperatures.

Use 1585TM for taping relatively flat surfaces. GreenGuard® Contractor tape for standard adhesion is clear with green print.

GreenGuard® Custom Tape - 2 1/2 in. x 55 yards

GreenGuard® Custom Tape with enhanced adhesion is an excellent way to improve the effectiveness of other GreenGuard® products by sealing joints and seams. Use with GreenGuard® Housewrap and sheathing to control air and moisture at seams.

GreenGuard® Custom Tape's enhanced adhesion sticks tight in all seasons, even in below-zero temperatures.

Use T2555CT for taping uneven surfaces such as GreenGuard® Ultra Wrap and GreenGuard® RainDrop Housewrap.

Siding Accessories > Mid American

Mid American

The most colors. Match or contrast with any siding color to give homes greater appeal.

Wide range of sizes. The right size product for any window, door, gable or ventilation need. The most options available for mounting lights, meters, outlets and water spigot.

More styles. Siding component styles that add character to any home.

Finished appearance. Snap-on trim ring and Shutter-Lok® help to finish the job right.

Easy to handle. Lightweight products are easy to lift and install.

Consistent. Count on the product size, color, and construction to be the same every time.

Any surface. Can be installed directly on wood, vinyl, fiber cement, aluminum, stucco, brick, and hardboard.

Backed by a 40-year warranty. Peace of mind that products won't crack, split, or fade.

Performance. SolidThru™ color products hold up in all weather conditions and all climates.

Maintenance-free. No scraping, sanding or painting needed.

Made in the USA. All our products are engineered and manufactured to exacting standards.

Service

